





#### **INDEX**

Materials Smart features	<i>7</i> 10	
RECREATION	12	
TWIST SWING SOLAR THAYA HALIBUT	14 16 18 20 22	
TOURING	24	
SEASHINE RUSH SEAWAVE FRAMURA PALAVA SCOUT ONTARIO	26 28 30 32 34 36 38	
TOURING / WHITE-WATER	40	
SAFARI BARAKA COLORADO	42 44 46	
WHITE-WATER	48	
K2 PULSAR	50 52	
ACCESSORIES	56	

#### **LEGEND**



Max. number of persons



Weightt



Self-draining bottom with a roll-top seal



Self-draining bottom



Motor attachment



Grade 1. Fast moving water with ripples and smallwaves.



Grade 2. Straightforward rapids with wide, clear and evident channels. Clearly visible rocks or other obstructions with medium-sized waves.



Grade 3. Rapids with moderate, irregular large waves which may be difficult to avoid. Strong eddies and powerful current effects.



Grade 4. Intense, powerful rapids requiring precise boat handling in turbulent water. It may feature large, unavoidable waves and holes.



Grade 5. Extremely difficult rapids with obstructions and dangerous currents. Drops may contain large, unavoidable hazards.



Drop-stitch technology used in the boat.



Maximum load

## HISTORY OF OUR COMPANY

In 1956, Gumotex developed and manufactured the first inflatable boat. Originally, one could choose from only 3 or 4 basic models, based on a rubber tube with a cover. However, within a few years, the boats had spread to most rivers and lakes in Czechoslovakia and became an important export item





Today, Gumotex boats are, thanks to their quality and durability, a perennial star not only on European waters but also overseas and Asia. When out on the water, you can sometimes meet boats which have been manufactured fifty years apart.

Gumotex boats not only follow the latest trends, but thanks to our development centre, they bring completely new technologies to the market, and furthermore, the boats are often awarded at foreign trade fairs.





# WE'LL TAKE YOUR PETS FOR A RIDE

Our materials have stood the test of dog paws and claws. Take your four-legged friends along for the ride – they're sure to enjoy it just as much as you!

# WE USE NATURAL RUBBER TO MAKE OUR BOATS – IT'S ECOFRIENDLY AND EASY TO FIX

One of the fundamental materials used in the production of boats can be found between the bark and wood of the Para rubber tree. Thanks to the superb properties of natural and synthetic rubber blends, which we develop ourselves, our boats are extremely durable. The material is flexible, and doesn't succumb to breaks in folds even when stored for a longer period of time. In case there is a puncture, you'll easily be able to fix it with the repair kit supplied with all boats. You'll manage it easily and without breaking a sweat.



# YOU ARE SAFE WITH US

Our boats are made from our patented Nitrilon wich is a highly durable and resistant to abrasion material. Each boat has at least 3 air chambers, which makes them safer in case of deflation of one of the air chambers as the two remaining will keep you afloat.



# IT'S EASY TO CARRY

Most of our boats are delivered in a waterproof backpack that you can throw over your shoulder and set out for an adventure. Now, that's freedom.

When compared to PVC, our rubberized boats can be packed into smaller dimensions, which you're sure to appreciate since it won't get in the way and you'll save plenty of space.





## **OUR MATERIAL**

We make everything from the beginning and so we have developed our own fabric based on natural rubber which guarantees excellent boat durability. Our boats are resistant to abrasion, aging and sunlight.

#### **DOUBLE-SIDED NITRILON®**


Material composition: high-strength PES fabric (1) with a double-sided synthetic rubber coating (2). The material is highly resistant to abrasion, aging and UV light. Tensile strength min. 3 000/3 000 N (sample  $8 \times 2$  in). Minimum weight 35.16 oz/yd².





### **NITRILON®**

Material composition: high-strength PES fabric (1) with an outer synthetic rubber coating (2) and inner natural rubber blend coating (3). The material is highly resistant to abrasion, aging and UV light. Tensile strength min. 3 000/3 000 N (sample 8 × 2 in). Minimum weight 27.13 oz/yd².




#### **NITRILON® + DROP-STITCH**


Material composition: outer coating based on synthetic rubber (1), anchoring layer (2), high-strength PES cloth (1 100 dTex) (3), anchoring layer (4), natural and synthetic rubber coating (5), natural and synthetic rubber coating (6), anchoring layer (7), drop-stitch top sheet (9). Minimum tensile strength is 3 600/3 100 N (sample 8 x 2 in). Minimum weight is 37.46 oz/yd².

#### **NITRILON® EXTRA**

Material composition: high-strength PES fabric (1) with an inner and outer layer of synthetic rubber (2) coating and outside NITRILON® EXTRA (3) coating. A top quality material for maximum load and for use in demanding climatic conditions.

Tensile strength min. 3 000/3 000 N (sample 8 x 2 in). Minimum weight  $43.86 \text{ oz/yd}^2$ .





#### **PES PUR**

Material composition: PES fabric of RIPSTOP (1) type with an inner polyurethane layer (2) and Teflon water-repellent finish (3). The material is resistant to abrasion, aging and UV light. Minimum pull strength 1 100/900 N (sample 8 x 2 in).




## **SMART FEATURES**

# SOLID BOTTOM USING DROP-STITCH TECHNOLOGY

The bottom of the boat is reinforced by thousands of fibers connecting its inner walls. Thanks to this feature the boat is very stable and difficult to capsize.

Featured on THAYA and RUSH kayaks.







# TRACKING FIN HELPS TO STEER COURSE


The tracking fin makes it much easier to control the kayaks. Ensuring the boat tracks well and maintains good directional stability.


Featured on THAYA, RUSH, TWIST, SWING, SOLAR, FRAMURA, SEAWAVE, SEASHINE, SAFARI 330 and HALIBUT kayaks.

### **T-BONE REINFORCEMENTS**

Metal reinforcements placed under the seats serve to shape and reinforce the bottom of the boat. Actually, the inflatable boat gains the performance characteristics of a hard-shell cance.

Featured on SCOUT canoe.







# SELF-BAILING BOTTOM WITH DRAINAGE HOLES

Unobtrusive holes in the bottom of the boat will ensure you stay dry through more ferocious rapids with water draining immediately.

Featured on SAFARI 330, K2, ONTARIO 450S and PULSAR boats..

self-draining holes






# SELF-BAILING BOTTOM WITH A ROLL-TOP SEAL

Got water on deck? Thanks to the selfbailing floor design, water will drain away without effort. The rolling closure allows the floor to be sealed for calm water use.

Featured on BARAKA and SCOUT boats.

# A "PROGRESSIVE" DROPSTITCH HULL

The V shaped bottom in the front increases the height of the boat under the hull and gives it better tracking and maneuverability. The rear flat part of the bottom gives the kayak unprecedented stability. Featured on SEASHINE.



V shaped bottom




# **RECREATION KAYAKS**

Our range of recreational inflatable kayaks offers the perfect blend of portability, durability, and performance, ensuring that every time you take them out on the water you'll have a great time.





# A LIGHTWEIGHT KAYAK FOR EVERYONE





The **TWIST** is the right choice for whether you're exploring new places on lakes or travelling on calm rivers. The **TWIST** 1 is the smallest and the lightest kayak from our fleet.


The **TWIST** 2/1 can be easily transformed from its two-seat


version to its one-seat version or vice versa, thanks to an innovative design. The kayak is stable enough for a variety of paddler sizes, and comfortably fits two people.



## **STABLE AND EASY**









The **SWING** is a sit-in inflatable kayak great for relaxing trips on sheltered waters, harbours, lakes and rivers up to grade 2. The kayak is supplied with two aluminium reinforcements for improved rigidity of the hull, maneuverability and stability.


The reinforcements also shape the deck of the kayak. Thanks to its low weight, the kayak is perfect for trips with frequent portages.

The kayak is available in a single and a double version.



## A FAMILY KAYAK





The **SOLAR** inflatable kayak serves for both trips on lakes and touring on rivers up to grade 2. An optional foredeck splash cover offers protection from the elements for the front paddler and prevents water from flowing over the bow. The

kayak is equipped with a drainage hole in the rear deck. The **SOLAR** is equipped with two seats and fixtures for an optional third seat. As a result, boasts versatility with paddling setups for solo, tandem or 2+1 use.



## FAMILY KAYAK WITH DROP STITCH TECHNOLOGY



The revolutionary **THAYA** inflatable kayak uses a combination of our special **NITRILON®** material with **drop-stitch** technology and is defined by its excellent stability, stiffness and maneuverability. The unique combination of the inflatable side tubes and modern **drop-stitch** technology creates an universal combination which maximizes the user's comfort and improves the handling properties of the boat. Light-weight and easy to pack away: the added benefits of the **THAYA**.

It is suitable for recreational paddling on lakes, gentle coastal waters and rivers up to grade 2. Seating positions can be adjusted for 1, 2 adults or 2 adults + 1 child.

An optional foredeck splash cover offers protection for the front paddler and prevents water from flowing over the bow.



# **FISHING KAYAK**



The **HALIBUT** is a fishing kayak, offering a new dimension in the sport of angling. Thanks to its compact dimensions when packed, it is possible to enjoy kayak fishing even in remote locations. The **HALIBUT** is very stable, responsive and fast when moving on the water.

The kayak floor is fitted with a marine plywood standing platform. A raised adjustable seat makes for easy embarking and disembarking and also provides comfort while waiting for a catch.



# **TOURING BOATS**

Take on your next adventure with confidence and ease using our versatile selection of touring boats. designed with the modern explorer in mind our boats blend portability, durability, load capacity and performance to deliver a great paddling experience.





# **KAYAK WITH UNIQUE PROGRESSIVE HULL**



The **SEASHINE** is an inflatable kayak designed and adapted for navigation on the seas, and for paddling long distances on lakes, estuaries or large rivers. It provides plenty of space for 2 paddlers and their baggage for multi-day trips. It can be equipped with single or double cockpit and steering rudder.

There are several important innovations that offer the paddler new performance in terms of glide and speed in calm water, while retaining a shape that is essential for navigation in rough seas – like the other touring kayak models Seawave and Rush.



# **DESIGNED FOR PERFORMANCE**



An innovative and versatile kayak design which further expands the possibilities of **drop-stitch** technology (hydrodynamically designed bow and keel). The **RUSH** is suitable for recreation, touring, calm lakes, coastal waters as well as navigating white water up to grade 2. For better comfort in poor weather conditions, it can be equipped with a rudder or a removable cockpit. The main advantages are versatility, speed and stability.


The **RUSH 2** kayak can be used as a single or as a double kayak.

**Drop-stitch technology** is based on the connecting the upper and lower layers of the fabric with thousands of polyester fibers. This fabric, equipped with an airtight coating, is protected from both sides by a resistant **NITRILON®** material.

Thanks to the thousands of fibers holding both layers together, these products can be inflated up to very high pressure. It enables the material to obtain robustness approaching the robustness of solid materials.



## THE MOST VERSATILE GUMOTEX KAYAK




Thanks to its long narrow shape, the **SEAWAVE** kayak is easy to control and very fast. It can be converted from a three-person version into a two-person or one-person kayak by moving the seats. Installation of an optional deck makes the **SEAWAVE** a great sea kayak.

Aluminium reinforcements support the deck and stiffen the kayak. The floor features a pronounced keel for handling in the wind and better tracking.

The **SEAWAVE** is an excellent touring kayak suitable also for seakayaking in sheltered waters.



## THE FASTEST GUMOTEX KAYAK




The **FRAMURA** is the fastest kayak produced by GUMOTEX. It is designed for leisure and touring and is suitable for sheltered waters, harbours, inlets and lakes as well as calm rivers up to grade 1.

The FRAMURA has carrying capacity in the front and rear. The kayak has a fixed deck, elastic netting and a comfortable inflatable seat: it's a feature-rich touring kayak with an optional spray skirt and rudder.

A sea-kayak paddle is the ideal choice for the FRAMURA.



## THE ALL-TIME FAVOURITE




The **PALAVA** inflatable canoe is eye catching with its sporty look and excellent handling performance. Thanks to its longer hull, it offers a storage space and flexible seat positioning, providing comfort for anyone. When riding in rapids, it is possible to kneel and use the thigh straps.

The canoe is suitable for river cruising up to the grade 3 as well as for a comfortable touring on placid natural and artificial lakes.



# **COMFORTABLE CANOE FOR LONG EXPEDITIONS**






**SCOUT** is an inflatable canoe with a classic design. The boat offers plenty of features for the paddler's comfort and convenience, such as large inner space combined with huge payload and smooth handling. It is an ideal boat for adventures with plenty of carrying capacity, suitable

for white water enthusiasts or for family trips. **SCOUT** brings an innovative system of T-BONES reinforcements that strengthen the boat's floor and provide great handling qualities comparable with a rigid canoe.



# **TOURING RAFT**



**ONTARIO 450 S** is a six-person boat suitable for multi-day trips on rivers with the whole family. It is easy to control, fast and nimble. **ONTARIO 450 S** is a self-bailing boat that can handle white water up to Gr. 3.




# FOR TOURING/WHITE WATER

Designed for comfortable touring with white water capabilities in mind. Crafted for adventurers seeking the perfect balance of performance, durability, and comfort, our boats are your trusted companion for thrilling expeditions on both calm waters and challenging rapids.





### A SPORT KAYAK







The **SAFARI 330** is a sports kayak with a self-bailing bottom suitable for rivers up to grade 3 white water, coastal kayaking or surfing. The new **SAFARI 330** is longer, wider and more stable than its precursor. Thanks to stability, it's

also suitable for less experienced paddlers. The stern and bow can accommodate dry bags with your personal gear. Elastic ropes secure the bags in place.



# SPORTS CANOE WITH PLENTY OF SMART FEATURES



The BARAKA is a river canoe with a self-bailing floor that can handle white water up to grade 4 and rapids.

The BARAKA provides its crew with many useful features and fittings and with plenty of space inside.

The boat is designed for two adults plus one child, up to a maximum load of 350 kg. It is the right choice for paddlers, who are looking for a boat designed without compromises.



# **OUR FASTEST MULTI-SEATER**



The **COLORADO 450** is a multi-purpose boat. This six-person boat is great for river cruising or performance white water with experienced paddlers. The open stern provides the outflow of water in rapids.

The legendary **COLORADO** has served on many expeditions into remote places around the world and is a very popular team racing river boat in the Czech Republic and Japan.



# WHITE WATER

White-water boats are designed for experienced paddlers for rivers descents with a highers degree of difficulty.

Trusted by professional athletes and seasoned adventurers alike, our inflatable kayaks and rafts have been selected for many years as the official boats for the prestigious stages of Euro and World Cup competitions, showcasing unparalleled performance and reliability.




page 50




page 52



# MADE FOR WHITE WATER






The **K2** is an inflatable kayak with a self-bailing floor designed specifically for white water. The kayak is very stable and forgiving inspiring confidence in novice kayakers, even on more technical runs.

The **K2** offers ample seating space and an inflatable seat(s) for comfort plus thigh straps for better control of the kayak in rapids.



# RAFT FOR THE TOUGHEST CONDITIONS



The **PULSAR** is a sought-after model by rafting operators, sports centres, water sports clubs as well as for raft racing. The fast and robust hull combined with the self-bailing inflatable bottom provides exceptional stability and very fast

draining in rapids. **PULSAR** rafts have been chosen several times as the official race boats for the European Championships and also the official race boat for the 2003 World Championships that took place in the Czech Republic.

### **PADDLES**



Canoe paddle with a blade surface area of 124.3 in<sup>2</sup>

**ALLROUND** 

**Length (in):** 57; 59; 63; 67

Weight (lbs): 1.58-1.98 (depending on length) 505.0 one-piece, 505.2 two-piece, 505.3 three-piece



#### KAYAK PADDLE 702 ALLROUND

Traditional kayak paddle with an asymmetrical blade, blade surface area 109.9 in<sup>2</sup>

#### Length (in):

78.7; 82.7; 86.6; 90.5; 94.5 [0-4] increments

#### Weight (lbs):

2.52-3.05 (depending on size) 702.0 one-piece, 702.2 two-piece, 702.3 three-piece

# PADDLE TYPE 702.3 FISHING

Three-piece paddle 102.4 (in) long designed for the HALIBUT fishing kayak.

**Length (in):** 102.4

Weight (lbs): 3.41



# PADDLE 801 COMBINATION

Either 1 kayak paddle or 2 canoe paddles can be assembled from this folding paddle, 114 in<sup>2</sup> blade surface.

# Kayak paddle length (in):

70.8; 74.8; 78.7; 82.7; 86.6; 90.5; 94.5 [0-4] increments

Canoe paddle lengths (in):

57; 61

#### Weight (lbs):

2.88 (depending on length)



### LIGHTWEIGHT PADDLES



#### **KAYAK PADDLE 719S.2**

A double paddle on glass laminate spar with carbon-reinforced ends for increased breaking strength. The blade area is  $13 \text{ in}^2$ .

Length (in): Weight (lbs):

82.7; 86.6; 90.5; 94.5 2.07

[0-4] increments (depending on length)

# KAYAK PADDLE 379S.2

New development in our series of kayak paddles: A double paddle on glass laminate spar. The paddle can be adjusted in various angles and length from 90.55 to 94.48 in.

Variable length (in): Weight (lbs):

90.55-94.48 2.1



G SUMOTEX



### **APPAREL**



**GUMOTEX** paddle helmet

This watersports helmet is very light and comfortable. The adjusting system makes the helmet highly universal and it fits almost everyone. This version includes ear protection.



Life jacket



Child life jacket

# **ACCESSORIES**



Transport drybag 80 l, 100 l, 135 l



Expedition transport 100 l



Drybag for storing equipment 20 l, 40 l, 60 l



Drybag for small items 8 l, 12 l, 20 l



RUSH 1, 2 deck

SEAWAVE deck for 1 and 2 people





**SEASHINE** deck



Tracking fin



FRAMURA rudder



SEAWAVE, RUSH, SEASHINE rudder



RUSH, SWING, SEAWAVE, SEASHINE, FRAMURA spray skirt



THAYA, SOLAR additional front deck



UV-Tech product for treatment of inflatable kayaks and boats



Push-Push valve (0.2 Bar)



Modified Push-Push valve reduction



Safety relief valve



Pressure gauge for Push-Push valve



Valve wrench for Push-Push and overpressure valve



**GUMOTEX** safety throw-bag



BORIKA fishing rod holder



CANNON fishing rod holder



NITRILON repair kit



ELASTICK adhesive 250 ml



Double/single-action hand pump 3.2/6.4



RAFTER 5I single-action hand pump



BRAVO 230/1000 electric air pump

# **TECHNICAL DATA**















	TWIST 1	TWIST 2/1	SWING 1	SWING 2	SOLAR	THAYA	HALIBUT
Length [ftin.]	[8-6]	[11-10]	[10-4]	[13-2]	[13-5]	[13-5]	[12-4]
Width [ftin.]	[2-5]	[2-7]	[2-10]	[2-10]	[2-7]	[2-11]	[3-1]
Air chambers	3+2	3 + 3	3	3	3 + 2 + 2	3+2/4/6+2	3 + 1
Max. operation pressure [PSI]	side tubes 3,0 bottom 3,0	side tubes 3,0 bottom 3,0	side tubes 3,0 bottom 3,0	side tubes 3,0 bottom 3,0	side tubes 3,0 bottom 3,0	side tubes 3,0 bottom 7,2	side tubes 3,0 bottom 3,0
Packed dimensions [in.]	[21 × 14 × 7]	[21 × 14 × 8]	[25 × 17 × 9]	[26 × 17 × 12]	[26 x 16 x 10]	[25 × 16 × 10]	[28 x 18 x 12]
Weight [lbs.]	[20]	[29]	[25]	[32]	[35]	[39]	[46]
Max. load [lbs.]	[198]	[375]	[265]	[485]	[595]	[507]	[441]
Max. number of persons	1	2	1	2	2 + 1	2 + 1	1
Material	NITRILON®	NITRILON®	NITRILON®, PES, PUR	NITRILON®, PES, PUR	NITRILON®	NITRILON®	NITRILON®
Color	5C 1C 1C 1C	5C 11C 11C 11C	5C 11C 1C 11C	5C 1C 1C 1C	5C 11C 11C 11C	5C 11C	13 11 C
Difficulty	grade 1	grade 1	grade 2	grade 2	grade 2	grade 2	grade 1
Accessories	Tracking fin, Transport bag made from textile, Repair kit, Valve wrench for Push-Push and overpressure valve		Tracking fin, Transport bag made from textile, Repair kit, Valve wrench for Push-Push and overpressure valve		Tracking fin, Transport drybag 80 I, Repair kit, Valve wrench for Push-Push and overpressure	Tracking fin, Transport drybag 100 l, Repair kit, Valve wrench for Push-Push and overpressure valve	Tracking fin, Transport drybag 100 I, Repair kit, Valve wrench for Push-Push and overpressure valve

Recommended accessories

Kayak paddle 702 asymetric GTX hand pump 2/4 Drybag for small items Spray skirt Kayak paddle 702 asymetric GTX hand pump 2/4 Transport drybag 100 I Drybag for small items Kayak paddle 702 asymetric GTX hand pump 2/4 Seat SOLAR Drybag for small items Kayak paddle 719S.2 GTX hand pump 2/4 Additional front deck Drop-stitch seat THAYA Drybag for smallitems

Kayak paddle 702 asymetric, GTX hand pump 2/4, Drybag for small items



















	SEASHINE	RUSH 1	RUSH 2	SEAWAVE	FRAMURA	PALAVA	SCOUT	450 S
Length [ftin.]	[15-5]	[11-8]	[13-9]	[14-11]	[13-5]	[13-1]	[14-7]	[14-10]
Width [ftin.]	[2-8]	[2-8]	[2-8]	[2-9]	[2-6]	[3-1]	[3-1]	[5-2]
Air chambers	3 + 2 + 2	3 +1	3 + 2	3 + 3 + 2	3 + 1 + 1	3	3	3 + 3
Max. operation pressure [PSI]	side tubes 3,75 bottom 7,2	side tubes 3,75 bottom 7,2	side tubes 3,75 bottom 7,2	side tubes 3,7 bottom 3,7	side tubes 3,0 bottom 3,0	side tubes 3,0 bottom 3,0	side tubes 3,0 bottom 3,0	side tubes 3,0 bottom 3,0 thwarts 3,0
Packed dimensions [in.]	[26 × 22 × 13]	[26 × 16 × 11]	[27 × 19 × 11]	[27 × 17 × 12]	[27 x 16 x 12]	[24 x 16 x 10]	[28 x 18 x 12]	[26 × 23 × 12]
Weight [lbs.]	[42]	[26.5]	[34]	[39]	[35]	[39]	[55]	[66]
Max. load [lbs.]	[551]	[331]	[430]	[551]	[397]	[529]	[992]	630
Max. number of persons	2	1	2	2 + 1	1	2 + 1	3 (2 + 2)	6
Material	NITRILON®	NITRILON®	NITRILON®	NITRILON®	NITRILON <sup>®,</sup> PES, PUR	NITRILON®	NITRILON®	NITRILON®
Color	5 C 11 C	6 11 0	6 110	5 C 11 C	5 C 11 C	5C 11C 13 11C	5C 11C 13 11C	2 A 11 C 13 11 C
Difficulty	grade 2	grade 2	grade 2	grade 2	grade 1	grade 3	grade 3	grade 3

Tracking fin,
Transport drybag
1351,
Repair kit,
Valve wrench for
Push-Push and

overpressure valve

Tracking fin,
Transport drybag 100 l,
Repair kit,

Valve wrench for Push-Push and overpressure valve Tracking fin,
Transport drybag 100 l,
Repair kit,
Valve wrench for Push-Push

and overpressure valve

Repair kit, Valve wrench for Push-Push and overpressure valve

Transport

drybag 100 l,

Transport drybag 135 l, Repair kit, Valve wrench for Push-Push and overpressure valve

Transport bag, Repair kit, Valve wrench for Push-Push and overpressure valve

### Recommended accessories

Paddle 719S.2, GTX hand pump 3,2/6,4, SEASHINE cockpit for 1 or 2 persons, SEASHINE rudder, Drybag for storing equipment.

Paddle 719S.2 GTX hand pump 2/4 Cockpit RUSH 1 or RUSH 2 Drybag for small items 8 1, 121, 20 1 RUSH rudder (only Rush 2) Paddle 719S.2, GTX hand pump 3.2/6.4, Seat SEAWAVE, SEAWAVE cockpit for 1 or 2 persons, SEAWAVE rudder Drybag for storing equipment

Spray skirt,

Spray skirt,
Paddle
703.2 sea,
GTX hand pump
3.2/6.4,
FRAMURA rudder,
Drybag for storing
equipment
Spray skirt,
Canoe paddle
505 allround,
GTX hand pump
3.2/6.4,
Seat PALAVA,
Drybag for storing
equipment

Canoe paddle 505 allround, GTX hand pump 3.2/6.4, Drybag for storing equipment, GUMOTEX safety throw-bag

Canoe paddle 505 allround, GTX hand pump 3.2/6.4, Drybag for storing equipment



Drybag for storing equipment




equipment,

storing equipment,

GUMOTEX safety GUMOTEX safety GUMOTEX safety throw-bag throw-bag











	SAFARI	BARAKA	COLORADO 450	К2	PULSAR 380N	PULSAR 420 N	PULSAR 450 N	PULSAR 560 N	
Length [ftin.]	[10-10]	[13-5]	[14-10]	[12-10]	[12-6]	[13-10]	[14-10]	[18-5]	
Width [ftin.]	[2-7]	[3-5]	[5-2]	[3-4]	[5-10]	[6-2]	[6-11]	[6-11]	
Air chambers	3 + 1 + 2	3 + 1	3 + 5	3 + 2 + 3	5 + 2	5 + 2	5 + 3	5 + 3	
Max. operation pressure [PSI]	side tubes 3,0 bottom 3,0	side tubes 3,0 bottom 3,0	side tubes 3,0 bottom 3,0 thwarts 3,0	side tubes 3,7 bottom 3,7 thwarts 3,0	side tubes 3,0 bottom 3,0 thwarts 3,0	side tubes 3,0 bottom 3,0 thwarts 3,0	side tubes 3,0 bottom 3,0 thwarts 3,0	side tubes 3,0 bottom 3,0 thwarts 3,0	
Packed dimensions [in.]	[21 × 15 × 9]	[28 × 17 × 12]	[27 × 22 × 12]	[28 x 18 x 12]	[32 × 26 × 16]	[33 × 26 × 16]	[35 × 28 × 14]	[39 x 28 x 20]	
Weight [lbs.]	[27]	[52]	[83]	[44]	[97]	[110]	[132]	[165]	
Max. load [lbs.]	[287]	[772]	[1323]	[441]	[1433]	[1764]	[1984]	[2028]	
Max. number of persons	1	2 + 1	6	2	7	8	9	12	
Material	NITRILON®	NITRILON®	NITRILON®	NITRILON® DS	NITRILON® DS, NITRILON® Extra	NITRILON® DS, NITRILON® Extra	NITRILON® DS, NITRILON® Extra	NITRILON® DS, NITRILON® Extra	
Color	5C 11 C	5C 11C 13 11C	2 A 11 C 13 11 C	2A 11C	2A 11C 11C	2 A 11 C 11 C	2A 11C 11C	2A 11C 11C	
Difficulty	grade 3	grade 4	grade 4	grade 4	grade 5	grade 5	grade 5	grade 5	
Accessories	Tracking fin, Transport drybag 80 l, Repair kit, Valve wrench for Push-Push and overpressure valve	Transport drybag 135 l, Repair kit, Valve wrench for Push-Push and overpressure valve	Transport bag, Repair kit, Valve wrench for Push-Push and overpressure valve	Transport drybag 135 I, Repair kit, Valve wrench for Push-Push and overpressure valve	Transport bag, Repair kit, Valve wrench for Push-Push and overpressure valve				
Recommended accessories	Kayak paddle 702 asymetric, GTX hand pump 2/4,	Canoe paddle 505 allround, GTX hand pump 3.2/6.4, Drybag for storing	Canoe paddle 505 allround, GTX hand pump 3.2/6.4, Drybag for	Kayak paddle 702 asymetric, GTX hand pump 3.2/6.4, Drybag for storing	Canoe paddle 504 raftguide, Single-action hand pump RAFTER 5I, Abrasion resistant foil,				

equipment,

Drybag for storing equipment,

GUMOTEX safety throw-bag

